

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
BUREAU OF LAND AND WASTE MANAGEMENT
DIVISION OF MINING AND SOLID WASTE PERMITTING
2600 Bull Street
Columbia, SC 29201
Telephone Number (803) 896-4261 Fax Number (803) 896-4001

R E C L A M A T I O N P L A N
FORM MR-500 DATE VERSION ADOPTED 7/1/94

As required in Section 48-20-90 of the South Carolina Mining Act, "An operator shall submit with his application for an operating permit a proposed reclamation plan. The reclamation plan for an operating permit only must be furnished to the local soil and water conservation district in which the mining operation is to be conducted. The plan must include as a minimum each of the elements specified in the definition of 'reclamation plan' in Section 48-20-40 and information required by the department. The reclamation plan must provide that reclamation activities, particularly those relating to control of erosion, to the extent feasible, must be conducted simultaneously with mining operations and be initiated at the earliest practicable time after completion or termination of mining on a segment of the permitted land. The plan must provide that reclamation activities must be completed within two years after completion or termination of mining on each segment of the area for which an operation permit is requested unless a longer period specifically is permitted by the department."

RECEIVED
MAR 29 2009
**DIVISION OF MINING &
SOLID WASTE MANAGEMENT**
BLWM

I. APPLICANT INFORMATION

1. Name of Company COASTAL CONTRACTORS, INC.
2. Name of Proposed Mine ERNEST DRIVE BORROW PIT County BEAUFORT
3. Home Office Address P.O. Box 759 (843) 525-3191
(Street and P.O. Box) (Telephone No.)
BEAUFORT SC 29901-0759
(City) (State) (Zip Code) (Fax. No.)
4. Local Office Address SAME AS ABOVE
(Street and P.O. Box) (Telephone No.)
(City) (State) (Zip Code) (Fax. No.)
5. Name of company personnel and their title to be the contact for official business and correspondence: MR. TIMOTHY RENTZ, PRESIDENT
6. Location of Mine: ERNEST DR + BALPARK RD ST. HELENA ISLAND
(5-7-470)
State or County Hwy No. Nearest Town or City

II. ENVIRONMENTAL PROTECTION

1. Describe practices to protect adjacent resources such as roads, wildlife areas, woodland, cropland and others during mining and reclamation. *• MINE WILL BE COMPLETELY GRASSED
• MINE WILL USE HAUL ROAD W/ GRAVEL CONSTRUCTION ENTRANCE/EXIT
• MINE WILL USE BERMS, SILT FENCE, WIRE FENCING, SIGNAGE & ACCESS GATES TO PROTECT SURROUNDING AREAS*
2. Describe proposed methods to limit significant adverse effects on adjacent surface water and groundwater resources. *• MINE WILL REQUIRE DEWATERING & WILL UTILIZE SEDIMENT BASIN, OUTLET CONTROL STRUCTURE, & SILT FENCING
• AFTER RECLAMATION, SEDIMENT BASIN & OUTLET STRUCTURE WILL REMAIN*
3. Describe proposed methods to limit significant adverse effects on known significant cultural or historic sites within the proposed permitted area. *• NO KNOWN CULTURAL OR HISTORIC SITES ARE KNOWN TO BE IN THE PROPOSED PERMITTED AREA*
4. Describe method to prevent or eliminate conditions that could be hazardous to animal or fish life in or adjacent to the permitted area. *• THE BORROW PIT WILL SERVE AS A WATER QUALITY FEATURE AS WILL THE SEDIMENT BASIN ONCE THE MINE HAS BEEN RECLAIMED*
5. Describe how applicant will comply with State air quality and water quality standards as established by the S.C. Department of Health and Environmental Control. *• APPLICANT HAS SUBMITTED & RECEIVED APPROVAL FOR NPDES SC6730000*

III. RECLAMATION OF AFFECTED AREA

6. State useful purpose(s) the affected land is being proposed to be reclaimed to. More than one purpose may be checked, but information should be submitted to support the feasibility for each proposed purpose. *BORROW PIT WILL SERVE AS STORMWATER CONTROL FACILITY FOR FUTURE RESIDENTIAL SUBDIVISION*
 - a. Lake or pond ☒
 - b. Agriculture
 - c. Woodlands
 - d. Residential ☒
 - e. Commercial
 - f. Grassland ☒
 - g. Recreation
 - h. Wetlands
 - i. Park
 - j. Other
7. State the final maximum surface gradient(s) (slope) in soil, sand, or other unconsolidated materials on reclaimed land. Surface gradients steeper than 3H:1V (18 degrees or 33 percent) may be required to submit geotechnical data and studies to demonstrate that the steeper slopes will remain stable following final reclamation. *BANKS 3H:1V*
8. How will the final slopes in unconsolidated material be accomplished? If the slope will be by backfilling, demonstrate that there is adequate material to accomplish the stated final gradient. If gradient is to be achieved by bring in material from outside the permitted area, state the nature of the material and approximate quantities. If the gradient is to be achieved by grading, show that there is adequate area for grading to achieve gradient (ie. adequate distance between the property line and edge of highwall). Operator should show calculations or other appropriate information to demonstrate that there is adequate materials in backfilling and grading to meet the requirements for final slope.

SLOPES WILL BE EXCAVATED TO 3H:1V. TO STABILIZE THE BANKS, THEY WILL BE TRACKED AS PER SCDHEC-OCRM REGULATIONS. NEXT, STOCKPILED TOPSOIL FROM THE BERMS WILL BE SPREAD TO PROMOTE FUTURE GRASS GROWTH. FINALLY, THE BANKS WILL BE GRASSED PER SCDHEC-OCRM REGULATIONS

9. Describe the plan for revegetation or other surface treatment of affected area(s). The revegetation plan shall include but not be limited to the following: (a) planned soil test; (b) site preparation and fertilization; (c) seed or plant selection; (d) rate of seeding or amount of planting per acre; (e) maintenance.

ALL DISTURBED AREAS, INCLUDING POND BANKS, WILL BE PERMANENTLY STABILIZED PER SLOPE-ORM REGULATIONS, AS SHOWN ON THE NOTES OF THE MINE MAP. PERMANENT STABILIZATION WILL BE MAINTAINED UNTIL RECLAMATION IS APPROVED BY DHEZ.

10. Provide, as a separate document, a closure plan of the mine and permitted facilities to prevent a release of contaminants from being harmful to the environment. A closure plan is not necessary for all mines, but is required where the possibility exist for (a) acid rock drainage; (b) where the National Pollutant Discharge Elimination Systems (NPDES) Permit have discharge limitation parameters other than pH and Total Suspended Solids (TSS); (c) chemically treated tailings or stockpiles (excludes fertilizer or lime for revegetation purposes).

N/A

11. Method of control of contaminants and disposal of mine waste soil, rock, mineral, scrap, tailings, slimes, and other material directly connected with the mining, cleaning, and preparation of mineral substances mined and includes all waste materials deposited on or in the permit area from any source.

N/A - ALL STRIPPED TOPSOIL WILL BE PLACED DURING RECLAMATION

12. Method of reclaiming settling and/or sediment ponds.

- SEDIMENT POND WILL BE INSPECTED TO CHECK FOR DEPTH + WILL REMAIN AFTER RECLAMATION
- SEDIMENT POND WILL BE CLEARED, AS NECESSARY, IF DEPTH ISSUES ARISE.

13. Describe method of restoration or establishment of stream channels, stream banks and site drainage to a condition minimizing erosion, siltation and other pollution.

SEDIMENT POND WILL REMAIN ALONG W/ ITS OUTLET STRUCTURE. OUTLET STRUCTURE WILL SERVE TO LIMIT OFFSITE EROSION + SILTATION.

14. What are the maintenance plans to insure that the reclamation practices established on the affected land will not deteriorate before released by the Department?

BANKS WILL BE GRADED + STABILIZED DURING MINING, AS APPROPRIATE.

PROPERTY WILL BE MARKED AS RESIDENTIAL SUBDIVISION, FORCING OWNER TO ENSURE MINED AREA IS PROPERLY MAINTAINED.

15. For final reclamation, submit information about practices to provide for safety to persons and to adjoining property in all excavations. Identify areas of potential danger (vertical walls, unstable slopes, unstable surface on clay slimes, etc.) and provide appropriate safety provisions. These provisions can include but are not limited to setbacks, fencing, signs, benching, guardrails and boulders.

SIGNAGE, GATES, + FENCING INSTALLED DURING MINING WILL REMAIN AFTER RECLAMATION.

MINE IS BUFFERED FROM ADJACENT ROADWAYS BY ADJACENT PROPERTIES. + ADJACENT PROPERTIES ARE BUFFERED BY SETBACKS FROM PROPERTY BOUNDARIES.

16. What provisions will be taken to prevent noxious, odious, or foul pools of water from collecting and remaining on the mined area? For mines to be reclaimed as lakes or ponds, provide supporting information that a minimum water depth of four (4) feet on at least fifty percent (50%) of the pond surface area can be maintained.

THE BORROW PIT WILL BE MINED TO AN APPROXIMATE DEPTH OF 20' BELOW EXISTING GRADE. ALSO, SINCE THE BORROW PIT WILL BE RECLAIMED AS A STORMWATER FEATURE, THE BORROW PIT SHOULD BE AT LEAST 6' DEEP, ON AVERAGE.

17. Identify any structures (e.g. buildings, roads) that are proposed to remain as part of final reclamation. Provide justification for leaving any structures.

N/A - NO BUILDINGS WILL BE CONSTRUCTED + NONE WILL REMAIN

18. Attach two (2) copies of a map of the area (referred to as the RECLAMATION MAP) that shows the reclamation practices and conservation practices to be implemented. The following should be shown:
- A. The outline of the proposed final limits of the excavation, during the number of years for which the permit is requested.
 - B. The approximate final surface gradient(s) and contour(s) of the area to be reclaimed. This would include the sides and bottoms of mines reclaimed of ponds and lakes.
 - C. The outline of the tailings disposal area.
 - D. The outline of disposal areas for spoil and refuse (exclusive of tailings ponds).
 - E. The approximate location of the mean shore line of any impoundment or water body and inlet and/or outlet structures which will remain upon final reclamation.
 - F. The approximate locations of access roads, haul roads, ramps or buildings which will remain upon final reclamation.
 - G. The approximate locations of various vegetative treatments.
 - H. The proposed locations of re-established streams, ditches or drainage channels to provide for site drainage.
 - I. The proposed locations of diversions, terraces, silt fences, brush barriers or other Best Management Practices to be used for preventing or controlling erosion and off-site siltation.
 - J. Proposed locations of the measures to provide safety to persons and adjoining property.
 - K. Segments of the mine that can be mined and reclaimed as an ongoing basis.
 - L. The boundaries of the permitted area.
 - M. The boundaries of the affected area for the anticipated life of the mine.
 - N. The boundaries of the 100-year floodplain, where appropriate.
 - O. Identify sections of mine where the final surface gradient will be achieved by grading and/or backfilling.
 - P. A legend showing the name of the applicant, the name of the proposed mine, the north arrow, the county, the scale, the date of preparation and the name and title of the person who prepared the map.

THE REQUIRED RECLAMATION MAP SHALL HAVE A NEAT, LEGIBLE APPEARANCE AND BE OF SUFFICIENT SCALE TO CLEARLY SHOW THE REQUIRED INFORMATION LISTED ABOVE. THE BASE FOR THE MAP SHALL BE EITHER A SPECIALLY PREPARED LINE DRAWING, AERIAL PHOTOGRAPH, ENLARGED USGS TOPOGRAPHIC MAP OR A RECENTLY PREPARED PLAT. RECLAMATION MAP SHOULD BE THE SAME SCALE USED FOR THE SITE MAP.

IV. SCHEDULE FOR IMPLEMENTATION OF CONSERVATION AND RECLAMATION PRACTICES

19. As stated in Section 48-20-90 of the S.C. Mining Act, reclamation activities, to the extent feasible, must be conducted simultaneously with mining operations. Identify which areas or segments of the mine are not feasible to reclaim simultaneously with mining. Provide reasons why reclamation cannot proceed simultaneously with mining in these areas.

ALL AREAS MAY BE RECLAIMED SIMULTANEOUSLY WITH MINING OPERATIONS

20. Section 48-20-40(16)(1) of the S.C. Mining Act requires a, "time schedule, including the anticipated years for completion of reclamation by segments". This time schedule should meet the requirements of Section 48-20-90 of the Mining Act.

SCHEDULE FOR IMPLEMENTING CONSERVATION AND RECLAMATION PRACTICES

Conservation & Reclamation Practices	Segment # Or Area	Planned		Applied		Notes
		Amt	Year	Amt	Year	
• CONSTRUCTION HAIL ROAD	HAIL ROAD					LIFE OF MINE - MAINTAIN
• INSTALL GRAVEL CONSTRUCTION EXIT / ENTRANCE	ENTRANCE	100'				LOW - MAINTAIN
• STRIP TOPSOIL FROM SEDIMENT POND (TS)	SED. POND	BEFORE	MINING			
• STOCKPILE TOPSOIL AS SITE BERMS	W/IN DIST. AREA					
• CONSTRUCT SEDIMENT POND, INCLUDING CONTROLS	SED. POND					
• STRIP TOPSOIL FROM MINING AREA	MINE					
• STOCKPILE TOPSOIL AS SITE BERMS	W/IN DIST. AREA	BEFORE	MINING			
• MINE BORROW PIT	MINE					
• GRADE, PLACE TS, FERTILIZE + SEED	BERMS BERMS	SIMULTANEOUS	TO MINING			AFTER TS PLACEMENT, INSPECT THROUGHOUT
• GRADE, PLACE TS, FERTILIZE, + SEED	SED. POND	"				INSPECT THROUGHOUT
• GRADE, PLACE TS, FERTILIZE, + SEED	MINE	"				INSPECT THROUGHOUT
• NOTICE DEPARTMENT ONCE MINING ACTIVITIES ARE COMPLETE	ALL		END OF MINING			
• SEDIMENT REMOVAL, IF REQ.	SED. POND		"			
• FINAL GRADE, PLACE TS, FERTILIZE, + SEED	MINE		"			
• FINAL GRADE, PLACE TS, FERTILIZE, + SEED	SED. POND		"			
• FINAL GRADE, FERTILIZE, + SEED	OLD BERM AREAS		"			
• REMOVE PERIMETER CONTROLS	PERIMETER		"			
• REMOVE HAIL ROAD	HAIL ROAD		"			
• FERTILIZE + SEED	HAIL ROAD		"			
• REMOVE GRAVEL CONSTRUCTION EXIT / ENTRANCE	ENTRANCE		"			
• FERTILIZE + SEED	ENTRANCE		END			
• NOTICE DEPARTMENT ONCE RECLAMATION PRACTICES ARE IN PLACE	ALL		END OF PER.			
• MAINTAIN RECLAMATION PRACTICES	ALL		UNTIL ACCEPTED BY DHEC			

* Completed by the Department

NOTES:

- ALL RECLAMATION ACTIVITIES ARE TO BE CONTINUALLY CHECKED FOR REPAIR, + MAINTAINED IN GOOD WORKING ORDER UNTIL FINAL RECLAMATION PLAN HAS BEEN ACCEPTED
- PERIMETER CONTROLS REQUIRED PER MINE MAP + RECLAMATION PLAN
- ALL DISTURBED AREAS SHALL BE GRASSED PER SCDHEC-OCRM + NPDES REQUIREMENTS

FORM MR-500

PERMIT NO. _____

YOU ARE NOTIFIED THAT:

- 1) you, the operator, must file an application to modify the reclamation plan in the event actual reclamation varies from the set forth hereinabove, and
- 2) if at any time it appears to the Department that the activities under the reclamation plan are failing to achieve the purposes and requirements of the S.C. Mining Act, the Department may modify the RECLAMATION PLAN in accordance to Section 48-20-150.

Timothy L. Rantz

Signature of Applicant/Operator or his Authorized Representative

Timothy L. Rantz

Printed Name of Applicant/Operator or his Authorized Representative

President

Title

01/15/10

Date

=====

Department Use Only

Permit No. _____ Date Application Approved _____ Date Bond Rec'd _____

Bond Amount _____ Blanket or Single Bond _____ Permit Issuance Date _____

ACTION TAKEN ON THIS RECLAMATION PLAN

_____ Approved _____ Denied _____ Approved with Additional Terms and Conditions

By: _____

DIVISION DIRECTOR

Date: _____